

Door-coupling rotary operating mechanism Emergency switching-off with tolerance compensation Size 75x 75, Shaft 8x 8, 300 mm, test-0-1, Complete unit Handle size 45 mm Accessory for 3KD size 1 and 2, 3KF size 1



Wersja	
Nazwa markowa produktu	SETRON
wykonanie systemu zamknięć do drzwi	Blokada drzwi
Stopień ochrony IP	IP65
Szczegóły produktu	
wyposażenie produktu / blokada	Tak
element składowy produktu	
• przedłużenie osi	Tak
• uchwyt wyłączania awaryjnego	Tak
właściwość produktu / zamykanie	Tak
Konstrukcja mechaniczna	
wysokość	105 mm
szerokość	88 mm
głębokość	445 mm
masa netto	622 g
Certyfikaty	

General Product Approval			Declaration of Conformity	Shipping Approval	other
					Miscellaneous
CCC	UL	VDE	EG-Konf.	LRS	

Więcej informacji

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1171-2AF25>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8UD1171-2AF25>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1171-2AF25

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



