

Coding profile - CP-PC RD - 1701967

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Coding profile, for plugging into the coding ribs of the plug at a later date, insulating material, color: Red



Key Commercial Data

Packing unit	100 pc
GTIN	 4 046356 568043
GTIN	4046356568043

Technical data

Item properties

Brief article description	Coding profile
Range of articles	CODIERUNG
Pitch	0 mm
Number of positions	1

Packaging information

Pieces per package	100
Denomination packing units	Pcs.

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 10.0.1	27440392
eCl@ss 11.0	27460401

Coding profile - CP-PC RD - 1701967

Classifications

eCl@ss

eCl@ss 4.0	23110300
eCl@ss 4.1	23110300
eCl@ss 5.0	23110300
eCl@ss 5.1	23110300
eCl@ss 6.0	23110300
eCl@ss 7.0	23110302
eCl@ss 8.0	27449002
eCl@ss 9.0	27440392

ETIM

ETIM 4.0	EC002311
ETIM 5.0	EC002311
ETIM 6.0	EC002943
ETIM 7.0	EC002943

UNSPSC

UNSPSC 6.01	27112301
UNSPSC 7.0901	27112301
UNSPSC 11	27112301
UNSPSC 12.01	27112301
UNSPSC 13.2	39121410
UNSPSC 18.0	39121410
UNSPSC 19.0	39121410
UNSPSC 20.0	39121410
UNSPSC 21.0	39121410

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		B.01742
-----	---	---------

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>