SIEMENS

Data sheet

6GK1901-1BB11-2AA0

product type designation product description

IE FC RJ45 Plug 180 (4x2)

RJ45 data connector Industrial Ethernet FastConnect RJ45 plug 180 4x 2, RJ45 plug-in connector (10/100/1000 Mbit/s) with rugged metal enclosure and FC connection system, for IE FC TP cable 4x 2 (AWG24); 180° cable outlet 1 pack = 1 unit.



suitability for use

For connection to IE FC TP cables 4x2, suitable for fast assembly with the FastConnect system

	FastConnect system		
transfer rate			
transfer rate / for Industrial Ethernet	10 Mbit/s, 100 Mbit/s, 1000 Mbit/s		
interfaces			
number of electrical connections			
 for Industrial Ethernet FC TP cables 	1		
 for network components or terminal equipment 	1		
type of electrical connection			
 for Industrial Ethernet FC TP cables 	integrated cut-and-clamp contacts for 8-wire TP FC installation cable		
 for network components or terminal equipment 	RJ45 connector		
type of electrical connection / FastConnect	Yes		
mechanical data			
material / of the enclosure	metal		
number of reuses	10		
locking mechanism design	other		
design, dimensions and weights			
type of cable outlet	180° cable outlet		
width	13.7 mm		
height	16 mm		
depth	55 mm		
net weight	35 g		
connectable cable cross-section	6.5 8 mm		
connectable conductor cross-section	0.21 0.33 mm²		
ambient conditions			
ambient temperature			
during operation	-40 +85 °C		
during storage	-40 +85 °C		
during transport	-40 +85 °C		
relative humidity			
 at 25 °C / without condensation / during operation / maximum 	95 %		
protection class IP	IP20		
product features, product functions, product components / ge	neral		
product feature			
PoE capability	Yes		
 PoE+capability 	Yes		
silicon-free	Yes		

product component						
strain relief			Yes			
standards, specification	ns approvals		165			
certificate of suitability			_			
RoHS conformity	1		Yes			
UL approval			Yes			
			Yes			
cULus approval railway application in accordance with EN 50155			No			
railway application in accordance with EN 50155 standard for structured cabling			Cat6			
urther information / int	•		Outo			
internet link						
	e database		https://w	ww.automation.siem	ens.com/bilddb	
to website: Inductry Opling Support			https://www.automation.siemens.com/bilddb https://support.industry.siemens.com			
to website: Industry Online Support			https://support.indusuy.siemens.com			
security information			0:-	and the second second	and solutions with industrial	
			state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cet. (V4.7)			
Approvals / Certificates			mponn			
General Product App						Test Certificates
EHC	<u>Manufacturer Declara-</u> tion	<u>Declaration of (</u> formity	<u>Con-</u>	(UL)	<u>Miscellaneous</u>	Special Test Certific- ate
Marine / Shipping			E	Environment	Industrial Communic	ation
	Lloyd's Register urs	RINA		<u>Confirmation</u>	<u>PROFINET</u>	
last modified:			3/23/202	4 🖸		