



Adapter urządzeniowy S00, 25A, do systemu szyn zbiorczych 60mm, 45x długość 260mm, Przewody specjalne przyspawane AWG 12, długość 99 mm Element dystansowy w zestawie Szyna nośna przykręcona

| Wersja                  |                    |
|-------------------------|--------------------|
| Nazwa markowa produktu  | SETRON             |
| oznaczenie produktu     | Adapter urządzenia |
| wykonanie produktu      | Akcesoria          |
| liczba szyn montażowych | 1                  |

| Konstrukcja mechaniczna     |        |
|-----------------------------|--------|
| wysokość                    | 260 mm |
| szerokość adaptera          | 45 mm  |
| głębokość                   | 63 mm  |
| grubość szyny prądowej      |        |
| • minimalny                 | 5 mm   |
| • maksymalny                | 10 mm  |
| odstęp między środkami szyn | 60 mm  |

| Zezwolenia Certyfikaty   |  |
|--------------------------|--|
| General Product Approval |  |



[Confirmation](#)



| Test Certificates | Marine / Shipping |
|-------------------|-------------------|
|-------------------|-------------------|

[Special Test Certificate](#)

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)



| Marine / Shipping | other | Railway |
|-------------------|-------|---------|
|-------------------|-------|---------|



[Confirmation](#)

[Miscellaneous](#)

[Special Test Certificate](#)

| Environment |
|-------------|
|-------------|

[Environmental Confirmations](#)

[Environmental Confirmations](#)

## Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1251-5DT10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8US1251-5DT10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1251-5DT10](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1251-5DT10)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



Ostatnia zmiana:

28.09.2021 

