




ALPHA 400/630 DIN, Assembly kit F: modular installation devices,
Clearance between rows 150 mm, H=300 W=250



Wersja	
Nazwa markowa produktu	ALPHA
oznaczenie produktu	Zestaw montażowy urządzeń do montażu szeregowego
wykonanie osłony	z wycięciem
element składowy produktu	
<ul style="list-style-type: none"> szyna uziemiająca 	Nigdy
<ul style="list-style-type: none"> osłona z tworzywa sztucznego 	Tak
<ul style="list-style-type: none"> płyta montażowa 	Nigdy
liczba szyn DIN	2
Konstrukcja mechaniczna	
wysokość	300 mm
szerokość	250 mm
liczba jednostek podziału szerokości / na szynę DIN	12
masa netto	720 g
Certyfikaty	
oznaczenie środków roboczych	
<ul style="list-style-type: none"> zgodnie z DIN EN 61246-2 	Q
<ul style="list-style-type: none"> zgodnie z IEC 81346-2:2009 	QA

General Product Approval	Declaration of Conformity	Test Certificates
 <p>VDE</p> <p>Miscellaneous</p>	  <p>EG-Konf.</p>	<p>Type Test Certificates/Test Report</p> <p>Special Test Certificate</p>

other
<p>Miscellaneous</p>

Więcej informacji

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK4351-2KK12>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK4351-2KK12>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4351-2KK12

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

