SIEMENS

Data sheet

6GK1901-0DB10-6AA0

product type designation

product description



IE M12 Plug PRO (PROFINET)

M12 connector with high protection, 4-pole, D-coded

IE M12 plug PRO M12 plug-in connector with rugged metal enclosure and quick-connect technology, 180° cable outlet (D-coded) 1 pack=1 unit for SCALANCE X208 PRO and ET 200 PRO PN.

suitability for use

For connecting electrical cables to SCALANCE X208PRO, ET200 PRO PN or ET200 eco PN, with insulation displacement contacts

	E1200 eco FN, with insulation displacement contacts
transfer rate	
transfer rate / for Industrial Ethernet	10 Mbit/s, 100 Mbit/s
interfaces	
number of electrical connections	
 for Industrial Ethernet FC TP cables 	4
 for network components or terminal equipment 	1
type of electrical connection	
 for Industrial Ethernet FC TP cables 	integrated cut-and-clamp contacts for 4-wire TP FC installation cable AWG22
 for network components or terminal equipment 	M12 connector (D-coded)
type of electrical connection / FastConnect	No
mechanical data	
material / of the enclosure	metal
locking mechanism design	Screwed joint
tightening torque / for M12 round connector / maximum	0.6 N·m
connector coding / of the M12 circular connector	D
design, dimensions and weights	
type of cable outlet	180° cable outlet
width	14 mm
height	14 mm
depth	59 mm
net weight	37 g
connectable cable cross-section	6.5 6.5 mm
connectable conductor cross-section	0.33 mm ²
ambient conditions	
ambient temperature	
 during operation 	-20 +70 °C
during storage	-40 +80 °C
during transport	-40 +80 °C
chemical resistance	
• to water	resistant
protection class IP	IP67
product features, product functions, product components / general	
product feature	
• silicon-free	Yes
product component	
• strain relief	Yes

certificate of suitability	
RoHS conformity	Yes
• UL approval	Yes
railway application in accordance with EN 50155	No
standard for structured cabling	Cat5
urther information / internet links	
internet link	
• to website: Selection guide for cables and connectors	https://support.industry.siemens.com/cs/ww/en/view/109766358
to website: Industrial communication	https://www.siemens.com/simatic-net
• to web page: SiePortal	https://sieportal.siemens.com
to website: Image database	https://www.automation.siemens.com/bilddb
• to website: CAx-Download-Manager	https://www.siemens.com/cax
• to website: Industry Online Support	https://support.industry.siemens.com
ecurity information	
security information	Siemens provides products and solutions with industrial cybersecurity function: that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongl recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)

Declaration of Conformity

General Product Approval







Marine / Shipping





Environment Industrial Communication

Confirmation PROFINET

last modified: 5/18/2024 **C**